





## **WGC-55**

WGC-55, Residual current transformer

Code: P10153.

> Usefull diam.(mm): 55

> Cable (m): 0

> Max. Current (A): 160

#### Description

This new range features a series of improvements intended in particular for installing units on switchboards. Along with the usual attachment elements, this unit can be installed on DIN rails using an accessory, which facilitates its installation.

The residual current transformers of the WGC series offer better immunity to the transient current spikes that usually trigger the residual current protection. The residual current transformers of the  $\mathbf{WGC}$  series have been designed to operate with the relays of the WGC series. The sensitivity (trip current) of the transformer-relay assembly is established by the associated relay.







# **WGC-55**

Residual current transformers

Code: P10153.

#### **Specifications**

AC power supply, insulation			
Pulse test (kV)	3 kV		
Mechanical characteristics			
Size (mm) width x height x depth	92 x 98 x 50 (mm)		
Envelope	Self-extinguishing polycarbonate UL 94 V0		
Fastening	DIN rail with accessory (see code)		
Connection type	Screw terminal (Pz type)		
Weight (kg)	0,17		
Environmental characteristics			
Protection class	IP 20 (Terminals) IEC 60529		
Relative humidity (without condensation)	5 95 %		
Operating temperature	-20 + 70 °C		
Current measurement circuit			
Dynamic current (Idyn)	2,5 lth		
Permanent thermal current (Icth)	60 A		
Thermal short-circuit current (Ith)	1,8 kA / 1s		
Transformation ratio	30 / 0,06 A		
Maximum operating voltage (Um)	720 V		
Standards			
Electrical safety, Maximum height (m)	2000		
Electrical safety, Installation category	CAT III		
Standards	IEC 60664-1, IEC 60664-3, IEC 60044-1		
Measurement accuracy			
Accuracy	10 15 %		







## **WGC-55**

Residual current transformers

Code: P10153.


WGC

Residual current transformer

CODE	TYPE	Usefull diam.(mm)
P10181.	WGC-20-SC	20
P10182.	WGC-30-SC	30
P10131.	WGS-20	20
P10132.	WGS-30	30
P10151.	WGC-25	25
P10152.	WGC-35	35
P10153.	WGC-55	55
P10154.	WGC-80	80
P10155.	WGC-110	115
P10156.	WGC-140	140
P10157.	WGC-180	180
P10158.	WGC-220x105	220 x 105
P10159.	WGC-350x150	350 x 150
P10160.	WGC-500x200	500 x 200

UL certification for all WGC and WGS models, on demand

### **Dimensions**



Modelo	А	В	С	D
WGC 25	25	60,5	64	
WGC 35	35	70,5	75,5	
WGC 55	55	92	98	38
WGC 80	80	124,5	130	60
WGC 110	110	163	168	84,5
WGC 140	140	201	206	110
WGC 180	180	252	256	144

