

M-CVM-AB-MBUS

M-CVM-AB-MBUS, Expansion module

Code: M56E07.

- > Protocol: M-BUS
- > Memory: No
- > Communications: M-BUS

Description

Expansion module with MBUS communications.

Application

Enables the integration of units in MBUS communications networks (METER BUS).

Circutor



M-CVM-AB-MBUS

Expansion modules M-CVM-AB-MBus

Code: M56E07.

Specifications

Consumption	2W	
Mechanical characteristics		
Size (mm) width x height x depth	90 x 90 x 90 (mm)	
Envelope	Self-extinguishing VO plastic	
Fastening	Panel	
Weight (kg)	0,1	
Environmental characteristics		
Protection class	IP 30	
Relative humidity (without condensation)	5 95%	
Storage temperature	-20 +80 °C	
Working temperature	-10+50 °C	
Standards		
Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05	
Electrical safety, Maximum height (m)	2000	
Standards	IEC 61010-1 (Third edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1 IEC 61010-2-030 (First Edition), UNE-EN 13757-2, UNE-EN 13757-3, UNE-EN 1434-3	
Communications		
Fieldbus	Wired M-Bus	
Protocol	Slave M-Bus compatible con EN13757-2 y EN13757-3	
Speed	1200-2400-4800-9600	
Primary address	1250	

M-CVM-AB-MBUS

Expansion modules

CODE	ТҮРЕ	Communications	Protocol
M56E07.	M-CVM-AB-MBUS	M-BUS	M-BUS





M-CVM-AB-MBUS

Expansion modules M-CVM-AB-MBus

Code: M56E07.

Dimensions



