
EASY BRIDGE PLUS System

All the advantages of the Easy Bridge System, plus the outstanding visibility of the colour



Parallel connections for Cabur terminal blocks, based on the patented Easy Bridge system, with high visibility and minimum space required, intrinsically IPXXB protected.

Available from autumn 2013



Easy Bridge Plus


Since 2002 Cabur offers the Easy Bridge PTC cross connections, with the innovative technology of two contact points between the pole of the jumper and the hole on the conducting bar of the terminal block. From autumn 2013 PTC cross connections are available also in plastic coated version, with the following advantages:


- red and blue colours for the immediate visibility of the cross connection and for the identification of the polarity or phase, in 2, 3, 5, 10 and 30 poles versions
- Possibility to mark the upper surface with a permanent marker to indicate the presence of the pole and of the electric connection with the underlying terminal block in case of connections with alternate poles



- It is possible to assemble distribution terminal boards with alternate connections with +/-/+/-, L/N/L/N/L/N poles and to identify the contact on each pole with a colour marker
- IPXXB protection prevents accidental contacts with conductors under dangerous voltages.













Thanks to the elasticity of the special metal, with a high electrical conductivity degree, and to the project of 2 contact points, the system provides a strong contact and a large surface, therefore a high current flow rate, an excellent resistance to vibrations and oxidative gases, thus high reliability. The deployment of PTP jumpers continues to guarantee the conformity to ATEX and IEC Ex directives.

The installation of PTP jumpers requires to follow a simple procedure: with a flat-pointed tool, apply a pressure onto the centre of the jumper first, and then at both the ends, one after the other; then again at the centre until the jumper is completely inserted in its slot.

MADE IN ITALY

All the items of the Easy Bridge Series are designed, developed and produced in Italy



Easy Bridge Plus Series

Reference tables

PTP Series codes

Easy Bridge Plus





PTP Series - blue			
ТҮРЕ			
PTP/2/30/B			
PTP/2/02/B			
PTP/2/03/B			
PTP/2/05/B			
PTP/2/10/B			
PTP/3/30/B			
PTP/3/02/B			
PTP/3/03/B			
PTP/3/05/B			
PTP/3/10/B			
PTP/4/30/B			
PTP/4/02/B			
PTP/4/03/B			
PTP/4/05/B			
PTP/4/10/B			
PTP/5/30/B			
PTP/5/02/B			
PTP/5/03/B			
PTP/5/05/B			
PTP/5/10/B			

PTP Serie	l.		
CODE	ТҮРЕ		No. POLES
PTP0230R	PTP/2/30/R		30
PTP0202R	PTP/2/02/R		2
PTP0203R	PTP/2/03/R		3
PTP0205R	PTP/2/05/R		5
PTP0210R	PTP/2/10/R		10
PTP0330R	PTP/3/30/R		30
PTP0302R	PTP/3/02/R		2
PTP0303R	PTP/3/03/R		3
PTP0305R	PTP/3/05/R		5
PTP0310R	PTP/3/10/R		10
PTP0430R	PTP/4/30/R		30
PTP0402R	PTP/4/02/R		2
PTP0403R	PTP/4/03/R		3
PTP0405R	PTP/4/05/R		5
PTP0410R	PTP/4/10/R		10
PTP0530R	PTP/5/30/R		30
PTP0502R	PTP/5/02/R		2
PTP0503R	PTP/5/03/R		3
PTP0505R	PTP/5/05/R		5
PTP0510R	PTP/5/10/R		10

Terminal block – jumper combination

TERMINAL		
BLOCK	JUMPER	DESCRIPTION
CBC.2/GR	PTP/2/	screw-clamp feed-through 2.5mm ²
HMD.2N/GR	PTP/3/	spring-clamp 2 levels 2.5mm ²
HLD.2/GR ^(*)	PTP/3/	spring-clamp 3 levels 2.5mm ²
HDE.2/GR ^(*)	PTP/3/	spring-clamp 3 levels 2.5mm ²
CHP.2/GR ^(*)	PTP/3/	connector HVPC 2.5mm ²
CHP.2D/GR ^(*)	PTP/3/	connector HVPC 2.5mm ²
HVPC.2/GR ^(*)	PTP/3/	for connector HVPC 2.5mm ²
HMM.2/GR ^(*)	PTP/3/	spring-clamp 2.5mm ²
HMM.2/1+2/GR ^(*)	PTP/3/	spring-clamp 2.5mm ²
HMM.2/2+2/GR ^(*)	PTP/3/	spring-clamp 2.5mm ²
HMS.2/GR	PTP/3/	spring-clamp 2.5mm ²
HMFA.2/GR	PTP/3/	spring-clamp 2.5mm ²
CBC.4/GR	PTP/4/	screw-clamp feed-through 4mm ²
HMM.4/GR ^(*)	PTP/5/	spring-clamp 4mm ²
HMM.4/1+2/GR ^(*)	PTP/5/	spring-clamp 4mm ²
HMM.4/2+2/GR ^(*)	PTP/5/	spring-clamp 4mm ²
HSCB.4/GR	PTP/5/	spring-clamp 4mm ²
HFR.4 /M/GR	PTP/5/	fuse holder spring-clamp 4mm²

^(*) Including /1+2, /2+2 versions and their correspondent earth terminal blocks, if available.







Cabur srl

17041 – Altare (SV) Località Isola Grande 45 Italy T. +39 019 58999.1 F. +39 019 58999.280 www.cabur.it

info@cabur.it

