



The image has the only illustrative purpose and it is purely indicative, it may not fully reflect the product configuration.

Junction Connector "Y" 3p WP D8-17 IP68

Code: **THB.399.F3C**















Potential improvements of the product and modifications of the technical data contained in this document can be made without notice.

GENERAL INFORMATION

Type of installation	Joint connector (re-usable/re-accessible)		
Product configuration	Junction connector		
Colour	Black (Plastic components) - Techno green (Rubber components)		
Overall dimensions (mm)	Ø 32.0 x 65.5 x 135.0		

ELECTRIC DATA

r/Signal
AC
v with wire protector
mmended for cable of cross-section < 1.0 mm2
0.8 Nm

CONNECTION DATA

Multi-stranded conductor cross- section without ferrule MIN (mm²)	0.25
Multi-stranded conductor cross- section without ferrule MAX (mm²)	1.50
Conductor stripping length (mm)	8.00
Main cable sheath stripping length (mm)	50.00
Branch cable sheath stripping lengt (mm)	h 30.00
Reccomended types of cable	H05xxx/H07xxx
Cable diameter MIN (mm)	8.00
Cable diameter MAX (mm)	17.00
Tightening torque of cable gland- connector	2.5 Nm
Tightening torque of nut-cable gland	d 4.0 Nm

ENVIRONMENT CONDITIONS

IP rating	IP68	
	*IP68 (20m/1h)	
IK rating	IK07	
Salt Mist	Salt mist test : EN60068-2-11:2000	
T marking	T 125°C	
Proof Tracking Index (PTI)	PTI 250	

MATERIALS

Exterior body	PA66 GF UL94 VO
Connector	PA66 GF UL94 VO
Cable gland	POLYAMIDE PA6 V-2
O Rings	Silicone
Gaskets	TPE
Material property	Halogen Free
Contacts	Brass
Contact screws	Steel

PRODUCT COMPLIANCES

IEC Approvals EN 60998-1:2004

COMMERCIAL DATA

EAN	8057457094979
Packing method	Bulk packed (OEM)
Type of packaging	Box
Pieces/box (pcs)	200
Weight per Piece (gr)	97.70
Overall dimensions of box (mm)	600 x 270 x 400
Custom tariff number	85369010
Country of origin	ITALY

APPROVALS

Please login to access this data.

TECHNICAL DOCUMENTATIONS

Technical documentations:

Туре	Size
PDF	863.40 KB
	•

DRAWINGS

Drawings:

File	Туре	Size
☐ THB_399_Fxx.pdf	PDF	162.95 KB

MARKETING DOCUMENTS

Please login to access this data.