



The image has the only illustrative purpose and it is purely indicative, it may not fully reflect the product configuration.

# Joint Connector 2p WP D8-17 IP68

Code: THB.400.D3M



















Potential improvements of the product and modifications of the technical data contained in this document can be made without notice.

#### **GENERAL INFORMATION**

Type of installation	Joint connector (re-usable/re-accessible)	
Product configuration	In-line connector	
Colour	Black (Plastic components)	
Overall dimensions (mm)	Ø 34.0 x 140.0	

## **ELECTRIC DATA**

No. connected cables	2
Circuit wiring diagram	Power/Signal
Current rating (AC/DC)	24A
Voltage rating (AC/DC)	450V AC
No. poles	2
Marking	L-N
Terminations	Screw with wire protector
	*Recommended for cable of cross-section < 1.0 mm2
Terminations Thread/Tightening	M3 - 0.8 Nm
torque	
torque	

### **CONNECTION DATA**

Multi-stranded conductor cross- section without ferrule MIN (mm²)	0.25
Multi-stranded conductor cross-	2.50
section without ferrule MAX (mm²)	
Conductor stripping length (mm)	8.00
Cable sheath stripping length (mm)	30.00
Reccomended types of cable	H05xxx/H07xxx
Cable diameter MIN (mm)	8.00
Cable diameter MIN (mm) Cable diameter MAX (mm)	8.00 17.00
Cable diameter MAX (mm)	17.00

## **ENVIRONMENT CONDITIONS**

IP rating	IP68
	*IP68 (50m/1h)
IK rating	IK08
Salt Mist	Salt mist test : EN60068-2-11:2000
T marking	T 125°C
Proof Tracking Index (PTI)	PTI 250

### **MATERIALS**

PA66 GF UL94 V0
PA66 GF UL94 VO
POLYAMIDE PA6 V-2
Silicone
TPE
Halogen Free
Brass
Steel

#### **PRODUCT COMPLIANCES**

IEC Approvals

EN 60998-1:2004

#### **COMMERCIAL DATA**

EAN	8057457095167
Packing method	Bulk packed ( OEM )
Type of packaging	Вох
Pieces/box (pcs)	200
Weight per Piece (gr)	62.30
Overall dimensions of box (mm)	600 x 270 x 400
Custom tariff number	85369010
Country of origin	ITALY

#### **APPROVALS**

Please login to access this data.

#### **TECHNICAL DOCUMENTATIONS**

## **Technical documentations:**

File	Туре	Size
	PDF	1.48 MB

#### **DRAWINGS**

# Drawings:

File	Туре	Size
☐ THB_400_DXA.pdf	PDF	669.27 KB

#### **CAD FILES**

Please login to access this data.

#### **MARKETING DOCUMENTS**

Please login to access this data.