



according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Kisling - 3140 paste

UFI: 1KP8-F02R-N00C-W3PJ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Kisling AG

Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272

E-mail: customerservice@kisling.com

Contact person: Product Compliance Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com
Internet: www.kisling.com

**Supplier** 

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15
Place: D-74676 Niedernhall
Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Product Compliance Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com
Internet: www.kisling.com

**1.4. Emergency telephone** 24 hr. emergency phone number +1 872 5888271 (KAR)

<u>number:</u> Medicines & Poisons Info Office +356 2545 6508

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

### Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances listed below with nonhazardous components.





according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 2 of 11

#### Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]			5 - < 15 %	
	700-810-0 01-2120006148-66				
	Acute Tox. 4, Eye Irrit. 2; H302 H319				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
58190-62-8	700-810-0 2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]		5 - < 15 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 1000 - < 2000 mg/kg		

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

No information available.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 3 of 11

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special handling advices are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Hints on joint storage

none

#### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

# 7.3. Specific end use(s)

No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 4 of 11

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]				
Worker DNEL	, long-term	inhalation	systemic	0,229 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,065 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,057 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,033 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,033 mg/kg bw/day	

#### **PNEC values**

CAS No	Name of agent			
Environmental	Environmental compartment Value			
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]			
Freshwater	Freshwater 0,103 mg/l			
Marine water		0,01 mg/l		
Freshwater sediment		0,586 mg/kg		
Marine sediment		0,059 mg/kg		
Micro-organisms in sewage treatment plants (STP)		2,22 mg/l		
Soil		0,046 mg/kg		

#### 8.2. Exposure controls





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.





according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 5 of 11

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

not applicable

boiling range:

not applicable Flammability: not determined Lower explosion limits: Upper explosion limits: not determined not applicable Flash point: not determined Auto-ignition temperature: Decomposition temperature: not determined not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility:

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

not determined
not determined
not determined
not determined
not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties not determined

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 18.000 - 23.000 mPa·s (at 25 °C)

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 6 of 11

#### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.5. Incompatible materials

No further relevant information available.

#### 10.6. Hazardous decomposition products

No further relevant information available.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) 17305 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]				
	oral	LD50 > 1000 - < 2000 mg/kg	Rat	Study report (2012)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1995)	EU Method B.3

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

### Additional information on tests

No data available

#### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

### 11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 7 of 11

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]						
	Acute fish toxicity	LC50 mg/l	> 117	96 h		REACh Registration Dossier	
	Acute algae toxicity	ErC50	103 mg/l	72 h		REACh Registration Dossier	
	Acute crustacea toxicity	EC50 mg/l	> 117	48 h		REACh Registration Dossier	

#### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-(ethenylsilylidyne)trioxime]	ca. 1,25

#### BCF

CAS No	Chemical name	BCF	Species	Source
58190-62-8	2-Pentanone, 2,2',2"-[O,O',O"-	3,103		REACh Registration D
	(ethenylsilylidyne)trioxime]			

#### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 8 of 11

#### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous

waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous

waste

#### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous

waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

<u>14.3. Transport hazard class(es):</u> No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable





according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 9 of 11

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

Directive 2010/75/EU on industrial

emissions:

1.164 % (11.639 g/l)

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**





according to Regulation (EC) No 1907/2006

### Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 10 of 11

#### Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Kisling AG

according to Regulation (EC) No 1907/2006

Kisling - 3140 paste

Revision date: 08.07.2024 Product code: 3140P Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)