



# WERMA 240 Multicolour Beacon



EN 61000-6-2/-6-3/-6-4



## MC 55






- Ⓓ Anschluss **ausschließlich** durch ausgebildete Elektro-Fachkräfte.
- ⒼⒸ Electrical connection is to be made by trained electrical specialists **only**.
- Ⓕ Le branchement doit **uniquement** être effectué par des professionnels.
- Ⓘ Il collegamento deve essere eseguito **solo** da elettricisti specializzati.
- Ⓔ La conexión **sólo** debe ser realizada por electricistas debidamente formados.
- ⒽⒶ A ligação deve ser feita **exclusivamente** por profissional eléctrico especializado.
- ⒹⒻ De aansluiting mag **enkel** gebeuren door erkende vakmensen.
- ⒸⒶ Připojení smí **provádět** pouze kvalifikovaný personál.
- ⒽⒶ Podłączenie **wyłącznie** przez specjalistów-elektryków.
- ⒻⒾ Liittäminen kuuluu **ainoastaan** koulutettujen sähköalan ammattilaisten tehtäviin.
- ⒽⒶⒸ Подключение проводится только специа- листом-электриком.
- ⒽⒶⒸ Bağlantı **sadece** eğitimli elektrik teknisyenleri tarafından yapılmalıdır.
- ⒸⒶⒸ 布线需由专业电工执行



LED Permanent/ Blinking RGB	240 110 50	10 - 30 V=	I ≤60 mA I <sub>0</sub> <700 mA
LED Permanent RGB	240 120 50	10 - 30 V=	I ≤60 mA I <sub>0</sub> <700 mA
LED Permanent/ Blinking RGB	240 130 50	10 - 30 V=	I ≤60 mA I <sub>0</sub> <700 mA
LED Permanent RGB	240 140 50	10 - 30 V=	I ≤60 mA I <sub>0</sub> <700 mA
LED Permanent RGY	240 210 55 240 220 55	24 V=	I ≤45 mA I <sub>0</sub> <150 mA
LED Permanent RGY	240 230 55 240 240 55	24 V=	I ≤45 mA I <sub>0</sub> <150 mA

240 120 50, 240 140 50  
240 220 55, 240 240 55

240 110 50, 240 130 50  
240 210 55, 240 230 55




© Ⓓ

# WERMA®


WERMA Signaltechnik GmbH + Co. KG  
D-78604 Rietheim-Weilheim  
Telefon +49 (0)7424 / 9557-0  
Telefax +49 (0)7424 / 9557-44  
info@werma.com  
www.werma.com

2  
2a - 240 110 50, 240 130 50  
2b - 240 210 55, 240 230 55  
2c - 240 120 50, 240 140 50  
2d - 240 220 55, 240 240 55




WH Com	Wire				YE Blinking	GY*	Colour
	RD	GN	BU	YE			
(±)	(±)V	NC	NC	(±)V -> Blinking	(±)V *	RD	
	NC	(±)V	NC			GN	
	(±)V	(±)V	NC			YE	
	NC	NC	(±)V			BU	
	(±)V	(±)V	(±)V			WH	
	(±)V	NC	(±)V			VT	
NC	(±)V	(±)V	TQ				

\* 240 130 50  
NC = not connected




WH Com	Wire				YE	GY*	Colour
	RD	GN	YE	GY*			
(±)	(±)V	NC	NC	(±)V *	(±)V *	RD	
	NC	(±)V	NC			GN	
	NC	NC	(±)V			YE	

\* 240 230 55  
NC = not connected



Pin		3 Com	4	5*	Colour
1	2				
NC	NC	(±)	(±)V	(±)V *	RD
(±)V	NC		NC		GN
(±)V	NC		(±)V		YE
NC	(±)V		NC		BU
(±)V	(±)V		(±)V		WH
NC	(±)V		(±)V		VT
(±)V	(±)V	NC	NC	TQ	

\* 240 140 50  
NC = not connected



Pin		3 Com	4	5*	Colour
1	2				
NC	NC	(±)	(±)V	(±)V *	RD
(±)V	NC		NC		GN
NC	(±)V		NC		YE

\* 240 240 55  
NC = not connected

1500 0000 0045\_AE  
310.240.001



Marking of Hazardous Substances  
有害物质标识

WERMA Signaltechnik GmbH + Co. KG  
Dürbheimer Straße 15  
78604 Rielheim-Wellheim / Germany

WERMA article number 作马依德订货号:  
240 230 55, 240 240 55, 240 130 50, 240 140 50

According to the SJ/T 11364-2014 Standard of the People's Republic of China for the Electronic Industry  
本标准等同采用国家标准 GB/T 11364-2014 的规定编制

Component 部件名称	Lead lead (Pb)	Mercury 汞 (Hg)	Cadmium (Cd)	Hazardous Substances: 有害物质 Hexavalent Chromium 六价铬 (Cr(VI))	Polybrominated biphenyls 多溴联苯 (PBB)	Polybrominated diphenyl ethers 多溴二苯醚 (PBDE)
Plastic parts 塑料件	0	0	0	0	0	0
Label 标签	0	0	0	0	0	0
PCB and its electronics components 印刷电路板及电子元件	X*	0	0	0	0	0
Reso disk 树脂盘	0	0	0	0	0	0
MU2 Plug and cable 插头和线缆	0	0	0	0	0	0
Cable tie 扎带	0	0	0	0	0	0

This table was developed according to the provisions of SJ/T 11364-2014  
本表格依据 SJ/T 11364-2014 的规定编制

On the content of such hazardous substance in all homogeneous materials of such component is below the limit required by GB/T 26572-2011.  
表示该有害物质在所有材料中的含量均在 GB/T 26572-2011 规定的限量要求以下。

X: The content of such hazardous substance in all homogeneous materials of such component is beyond the limit required by GB/T 26572-2011.  
表示该有害物质在所有材料中的含量超出 GB/T 26572-2011 规定的限量要求。

Enterprises may further explain the technical reasons for flicking "X" in the table above according to their actual situation herein.  
企业可在此处, 根据实际情况对上表中打 "X" 的技术原因进行进一步说明。

\*Exemptions according to EU RoHS 2011/65 Annex III and IV might be applied  
\*欧盟 RoHS 2011/65 附件 III 和 IV 的豁免可能适用

Restricted substances beyond limit required by GB/T 26572-2011.  
有害物质含量超出 GB/T 26572-2011 的限值

EUFP (Environment Friendly Use Period) 环保年限

Rielheim 里基姆, 23.11.2018  
ppa. 授权 C. Höhler  
Director R&D 研发总监



Marking of Hazardous Substances  
有害物质标识

WERMA Signaltechnik GmbH + Co. KG  
Dürbheimer Straße 15  
78604 Rielheim-Wellheim / Germany

WERMA article number 作马依德订货号:  
240 210 55, 240 220 55, 240 110 50, 240 120 50

According to the SJ/T 11364-2014 Standard of the People's Republic of China for the Electronic Industry  
本标准等同采用国家标准 GB/T 11364-2014 的规定编制

Component 部件名称	Lead lead (Pb)	Mercury 汞 (Hg)	Cadmium (Cd)	Hazardous Substances: 有害物质 Hexavalent Chromium 六价铬 (Cr(VI))	Polybrominated biphenyls 多溴联苯 (PBB)	Polybrominated diphenyl ethers 多溴二苯醚 (PBDE)
Plastic parts 塑料件	0	0	0	0	0	0
Label 标签	0	0	0	0	0	0
PCB and its electronics components 印刷电路板及电子元件	X*	0	0	0	0	0
MU2 Plug and cable 插头和线缆	0	0	0	0	0	0
Cable tie 扎带	0	0	0	0	0	0

This table was developed according to the provisions of SJ/T 11364-2014  
本表格依据 SJ/T 11364-2014 的规定编制

On the content of such hazardous substance in all homogeneous materials of such component is below the limit required by GB/T 26572-2011.  
表示该有害物质在所有材料中的含量均在 GB/T 26572-2011 规定的限量要求以下。

X: The content of such hazardous substance in all homogeneous materials of such component is beyond the limit required by GB/T 26572-2011.  
表示该有害物质在所有材料中的含量超出 GB/T 26572-2011 规定的限量要求。

Enterprises may further explain the technical reasons for flicking "X" in the table above according to their actual situation herein.  
企业可在此处, 根据实际情况对上表中打 "X" 的技术原因进行进一步说明。

\*Exemptions according to EU RoHS 2011/65 Annex III and IV might be applied  
\*欧盟 RoHS 2011/65 附件 III 和 IV 的豁免可能适用

Restricted substances beyond limit required by GB/T 26572-2011.  
有害物质含量超出 GB/T 26572-2011 的限值

EUFP (Environment Friendly Use Period) 环保年限

Rielheim 里基姆, 23.11.2018  
ppa. 授权 C. Höhler  
Director R&D 研发总监